Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4757	455/67.11,226.1,423,424,425,67.14, 67.13.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:10
L2	578	base adj2 station adj3 test\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:10
L3	18214	msc mobile adj2 switch\$3 adj2 center	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 13:23
L4	. 20	2 same 3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:27
L5	258199	attenuat\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:12
L6	42711	ber bit-error adj rate bit adj error adj rate	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 13:10
L7	2291141	power	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:13
L8	395	5 same 6 same 7	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:13
L9	1	4 and 8	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:13
L10	16	1 and 8	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:18
L11	1	2 and 10	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:16
L12	1	2 and 8	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:18
L13	90	8 same determin\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:27
L14	82	13 and receiver	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:27
L15	39	13 same receiver	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:54

L16	1	"20040203466" and (voice data)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 14:53
L17	307	increas\$3 with attenuat\$4 with drop\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:58
L18	1	1 and 17	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:57
L19	1	2 and 17	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 13:01
L20	0	455/4.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:57
L21	97958	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:58
L22	4757	1 and 21	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 11:58
L23	5	(increas\$3 adjust\$4) with magnitude with attenuat\$4 with drop\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 12:01
L24	0	(increas\$3 adjust\$4) with attenuat\$4 with drop\$4 adj2 call	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 12:01
L25	6	(increas\$3 adjust\$4) same attenuat\$4 same drop\$4 adj2 call	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 12:02
L26	38	8 same compar\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 13:01
L27	7	compar\$3 with (ber bit-error adj rate bit adj error adj rate) with attenuat\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 13:14
L28	1196	compar\$3 adj2 attenuat\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 14:38
L29	3	1 and 28	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 13:14
L30	30	(msc mobile adj2 switch\$3 adj2 center) adj2 test	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 13:23

L31	64	21 and 28	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 14:30
L32	0	2 and 31	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 14:31
L33	29	31 and test\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 14:31
L34	1	compar\$3 adj2 attenuat\$4 adj3 receiver	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 16:12
L35	1	"20040203466" and power	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 16:11
L36	9664	power adj2 measurement	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 16:11
L37	310	1 and 36	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 16:11
L38	258199	attenuat\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 16:12
L39	100	37 and 38	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 16:12
L40	1564589	controller cpu processor	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 16:13
L41	64	39 and 40	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 16:14
L42	414	36 same 38	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 16:13
L43	58	40 same 42	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 16:13
L44	1	1 and 43	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 16:13
L45	18	42 and 1	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 16:14

6/5/06 5:43:55 PM Page 3

L46	25	37 and 2	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 17:05
L47	1893	antenna near2 test\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 17:06
L48	12	36 same 47	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/06/05 17:06

6/5/06 5:43:55 PM Page 4